

# CENTAFLEX – H Coupling self-identification

## Product information

Manufacturer : CENTA

Types:



### Type R

Torsionally stiff CENTAFLEX - H elastic element **without** aluminium parts or screw accessories.




### Type E

Torsionally stiff CENTAFLEX - H elastic element **with** aluminium parts or screw accessories.




### Type 1

Attachment coupling, consisting of the cylindrical steel hub, the elastic part(s) with metal segments and screw accessories




### Type 2

Complete shaft coupling, consisting of type 1 and one flange hub.




### Type 3

Flange coupling, consisting of a type 1 and a flange plate. For any non-standard flywheel.



### Type 4

Flanged coupling with cast-on flange for flywheels according to SAE standard.




## Generate order code

Order-Code: **CF-H - 30 - 0**  
 Series **CENTA** coupling  
 Size  
 Type



### Example for determining the **Size** of your coupling.

The available sizes in this series range from size 8 to 400.



### Example for determining the **Design** of your coupling.

The decisive factor is which accessories you need for your elastic element. You will find all designs on page 2. e.g.: BF - E (left) and BF - 1 (right)



### Special shape for **size 140**.

The elastic particle elements of size 140 consist of 4 elastic blocks. For the designs 1 to 3 these blocks are unmachined, for design 4 you have a material saving (see photo).



### Different materials / colours.

The elastic parts of the CENTAFLEX - H coupling are available in two materials / colours.



Couplings  
& Spares



+49 (0)2104 / 493 883 - 0  
info@pmp-germany.de  
[www.pmp-germany.de](http://www.pmp-germany.de)  
[www.pmp-germany.shop](http://www.pmp-germany.shop)